

**LED BULB LIGHT QUOTATION**  
*The Best Reliable products at competitive prices*

Model no.	Picture	Spec	EXW Price
Bulb-02-3W	 <p>CE RoHS</p> <p>www.penel.cc <b>penel</b></p> <p>Product dimension: (D)50*(H)97 mm</p>	<p>Product Type : LED Bulb light            Power : 3W            Light source: 6pcs of SMD5730 or SMD2835            Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours            Input voltage : AC 85~265V            Housing: Aluminum heat sink + PC Cover            Base: GU10, E27, E14, B22</p> <p>Working temperature:-20℃ ~ 60℃            Luminous flux : 300~330LM for white</p>	<b>US\$2,70</b>
Bulb-02-5W	 <p>CE RoHS</p> <p>www.penel.cc <b>penel</b></p> <p>Product dimension: (D)59*(H)112 mm</p>	<p>Product Type : LED Bulb light            Power : 5W            Light source: 10pcs of SMD5730 or SMD2835            Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours            Input voltage : AC 85~265V            Housing: Aluminum heat sink + PC Cover            Base: GU10, E27, E14, B22</p> <p>Working temperature:-20℃ ~ 60℃            Luminous flux : 500~550LM for white</p>	<b>US\$4,20</b>
Bulb-03-3W	 <p>CE RoHS</p> <p>www.penel.cc <b>penel</b></p> <p>Product dimension: (D)48*(H)93 mm</p>	<p>Product Type : LED Bulb light            Power : 3W            Light source: 6pcs of SMD5730 or SMD2835            Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours            Input voltage : AC 85~265V            Housing: Aluminum heat sink + PC Cover            Base: GU10, E27, E14, B22</p> <p>Working temperature:-20℃ ~ 60℃            Luminous flux : 300~330LM for white</p>	<b>US\$3,08</b>
Bulb-03-5W	 <p>CE RoHS</p> <p>www.penel.cc <b>penel</b></p> <p>Product dimension: (D)58*(H)115 mm</p>	<p>Product Type : LED Bulb light            Power : 5W            Light source: 10pcs of SMD5730 or SMD2835            Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours            Input voltage : AC 85~265V            Housing: Aluminum heat sink + PC Cover            Base: GU10, E27, E14, B22</p> <p>Working temperature:-20℃ ~ 60℃</p>	<b>US\$5,06</b>

The Best Reliable products at competitive prices

Model no.	Picture	Spec	EXW Price
		Luminous flux : 500~550LM for white	
Bulb-03-7W	 <p>www.penel.cc penel</p> <p>Product dimension: (D)58*(H)125 mm</p>	<p>Product Type :LED Bulb light Power : 7W Light source: 14pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified. Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, E14, B22 Working temperature:-20℃ ~ 60℃ Luminous flux : 700~770LM for white</p>	<b>US\$5,72</b>
Bulb-09-7W	 <p>www.penel.cc penel</p> <p>Product dimension: (D)60*(H)135 mm</p>	<p>Product Type :LED Bulb light Power : 7W Light source: 14pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified. Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, E14, B22 Working temperature:-20℃ ~ 60℃ Luminous flux : 700~770LM for white</p>	<b>US\$4,99</b>
Bulb-16-7W	 <p>www.penel.cc penel</p> <p>Product dimension: (D)62*(H)119 mm</p>	<p>Product Type : LED Bulb light Power : 7W Light source: 14pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified. Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, E14, B22 Working temperature:-20℃ ~ 60℃ Luminous flux : 700~770LM for white</p>	<b>US\$5,24</b>
Bulb-19-4W	 <p>www.penel.cc penel</p> <p>Product dimension: (D)61*(H)84 mm</p>	<p>Product Type : LED Bulb light Power : 4W Light source: 8pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified. Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, E14, B22 Working temperature:-20℃ ~ 60℃</p>	<b>US\$3,37</b>

The Best Reliable products at competitive prices

Model no.	Picture	Spec	EXW Price
		Luminous flux : 400~440LM for white	
Bulb-19-5W	<p>CE RoHS</p>  <p>www.penel.cc <b>penel</b></p> <p>Product dimension: (D)61*(H)94 mm</p>	<p>Product Type : LED Bulb light Power : 5W Light source: 10pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, E14, B22 Working temperature:-20℃ ~ 60℃ Luminous flux : 500~550LM for white</p>	<b>US\$4,18</b>
Bulb-19-6W	<p>CE RoHS</p>  <p>www.penel.cc <b>penel</b></p> <p>Product dimension: (D)61*(H)104 mm</p>	<p>Product Type :LED Bulb light Power : 6W Light source: 12pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, E14, B22 Working temperature:-20℃ ~ 60℃ Luminous flux : 600~660LM for white</p>	<b>US\$4,83</b>
Bulb-19-7W	<p>CE RoHS</p>  <p>www.penel.cc <b>penel</b></p> <p>Product dimension: (D)61*(H)114 mm</p>	<p>Product Type :LED Bulb light Power : 7W Light source: 14pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, E14, B22 Working temperature:-20℃ ~ 60℃ Luminous flux : 700~770LM for white</p>	<b>US\$5,06</b>
Bulb-19-8W	<p>CE RoHS</p>  <p>www.penel.cc <b>penel</b></p> <p>Product dimension: (D)61*(H)124 mm</p>	<p>Product Type :LED Bulb light Power : 8W Light source: 16pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, E14, B22 Working temperature:-20℃ ~ 60℃ Luminous flux : 720~800LM for white</p>	<b>US\$5,58</b>

The Best Reliable products at competitive prices

Model no.	Picture	Spec	EXW Price
Bulb-19-9W	<p>CE RoHS</p>  <p>www.penel.cc <b>penel</b></p> <p>Product dimension: (D)61*(H)134 mm</p>	<p>Product Type :LED Bulb light Power : 9W Light source : 18pcs of SMD5730 /SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, E14, B22</p> <p>Working temperature:-20℃ ~ 60℃ Luminous flux : 810~900LM for white</p> <p><b>PF:&gt;0.95 , Efficiency:&gt;85%.</b></p>	<b>US\$7,37</b>
Bulb-16-6W	<p>CE RoHS</p>  <p>www.penel.cc <b>penel</b></p> <p>Product dimension: (D)62*(H)109 mm</p>	<p>Product Type : LED Bulb light Power : 6W Light source : 12pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, E14, B22</p> <p>Working temperature:-20℃ ~ 60℃ Luminous flux : 600~660LM for white</p>	<b>US\$5,01</b>
Bulb-16-8W	<p>CE RoHS</p>  <p>www.penel.cc <b>penel</b></p> <p>Product dimension: (D)62*(H)129 mm</p>	<p>Product Type :LED Bulb light Power : 8W Light source : 16pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, B22</p> <p>Working temperature:-20℃ ~ 60℃ Luminous flux : 720~800LM for white</p>	<b>US\$5,83</b>
Bulb-16-9W	<p>CE RoHS</p>  <p>www.penel.cc <b>penel</b></p>	<p>Product Type :LED Bulb light Power : 9W Light source : 18pcs of SMD5730/SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: GU10, E27, B22</p> <p>Working temperature:-20℃ ~ 60℃</p>	<b>US\$7,54</b>



The Best Reliable products at competitive prices

Model no.	Picture	Spec	EXW Price
	Product dimension: (D)62*(H)139 mm	Luminous flux : 810~900LM for white <b>PF:&gt;0.95 , Efficiency:&gt;85%</b>	
Bulb-19-10W	 <p>Product dimension: (D)70*(H)138 mm</p>	<p>Product Type :LED Bulb light Power : 10W Light source: 20pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: E27, B22</p> <p>Working temperature:-20℃ ~ 60℃ Luminous flux : 900~1000LM for white <b>PF:&gt;0.95 , Efficiency:&gt;85%</b></p>	US\$8,50
Bulb-16-10W	 <p>Product dimension: (D)71.5*(H)155 mm</p>	<p>Product Type :LED Bulb light Power : 10W Light source: 20pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: E27, B22</p> <p>Working temperature:-20℃ ~ 60℃ Luminous flux : 900~1000LM for white <b>PF:&gt;0.95 , Efficiency:&gt;85%</b></p>	US\$8,93
Bulb-16S-12W	 <p>Product dimension: (D)71.5*(H)165 mm</p>	<p>Product Type : LED Bulb light Power : 12W Light source: 24pcs of SMD5730 or SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover Base: E27, B22</p> <p>Working temperature:-20℃ ~ 60℃ Luminous flux : 1080~1200LM for white <b>PF:&gt;0.95 , Efficiency:&gt;85%</b></p>	US\$10,14
Bulb-16D-12W		<p>Product Type : LED Bulb light Power : 12W Light source: 24pcs of SMD5730 /SMD2835 Color: Warm white\Daylight White\Cool white\Red\Green\Blue\ Yellow</p> <p>Color Temperature : 2800K~3200K for warm white, 4000K~4500K for daylight white, 6000K~6500K for cool white. Can do the color temperature you specified.</p> <p>Lifespan : 50,000 hours Input voltage : AC 85~265V Housing: Aluminum heat sink + PC Cover</p>	US\$11,00